

# SPECIFICATION




LOA		15.55 m	51'
Hull length		14.93 m	49'
LWL		13.54 m	44' 5"
Beam		4.75 m	15' 7"
Draft			
shallow keel		1.98 m	6' 6"
L-keel, medium		2.40 m	7' 10"
Displacement			
shallow keel	approx.	15.10 t	33,290 lbs
L-keel, medium		14.70 t	32,408 lbs
Engine Diesel			
standard	approx.	80.00 PS	80.00 hp
Fuel tank	approx.	280 l	74 gal
Fresh water	approx.	630 l	166 gal
CE Certificate		A - 12	
Design		judel / vrolijk & co	
Interior		HanseYachts Design	


Mast length above WL	approx.	22.05 m	72' 4"
Total sail area	approx.	117.80 m <sup>2</sup>	1,268 sq ft
Main sail			
standard	approx.	66.50 m <sup>2</sup>	716 sq ft
furling	approx.	58.70 m <sup>2</sup>	632 sq ft
Self-tacking jib	approx.	51.30 m <sup>2</sup>	552 sq ft
Gennaker	approx.	176.40 m <sup>2</sup>	1,899 sq ft
Reacher	approx.	87.40 m <sup>2</sup>	941 sq ft

# 508


All measurements/figures are approximate. Errors and omissions excepted. Specification and material can be changed without notice. Valid from 2022.03.29.




Standard



Option



Option



Option

## HULL

- 6 hull windows (3 each side)
- GRP hull, isophthalic gelcoat, colour: Signal White (RAL9003), 1st layer vinyl ester resin and balsa sandwich laminat
- Waterline and cove line, isophthalic gelcoat, colour: Dark Grey (RAL 7043)

## KEEL

- L-keel, cast iron, draft: 2.40 m
- GRP rudder with seawater resistant aluminium shaft and self-aligning bearings

## LAYOUT & INTERIOR

- A1: Sail locker with extensive storage space
- B1: Master cabin with island double berth, storage space and a head with separate shower stall
- C1: Saloon with full functional galley on port and dining area on port and lounge area with chart table on stb
- D1: Cabin with double bunk bed on port with storage space
- E2: 2 aft cabins with double berth, storage space and separate head
- 3-burner gas stove with oven, waste bin, 12 V fridge approx. 140 l, double stainless steel sink with mixing tab
- Interior furniture in high quality marine plywood, satin varnish
- Hanse companionway closing system
- Saloon table, fixed
- Worktop in galley - Black Quartz

## WOOD (FURNITURE, FLOORBOARD)

- Furniture - Mahogany Style, Satin Varnish
- Cupboards fronts in wood colour
- Floorboard - Acacia

## UPHOLSTERY

- Mattresses for all berths
- Upholstery - Monte Carlo, colour: Cream

## DECK & OUTSIDE EQUIPMENT

- GRP deck with antislip surface, isophthalic gelcoat, colour: Signal White (RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. 1 cockpit locker on port and stb, stern locker port and stb, stowage for running rigging at helm position, anchor locker at bow.

- Teak on cockpit benches
- Teak on bathing platform
- Twin wheel steering system with emergency tiller
- 2 cockpit tables, stainless steel with teak tops
- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire
- Covered halyards and control lines lead to cockpit helm position, organizers and jammers, 4 retractable mooring cleats, handrail on coach roof, bow anchor fitting with teak step
- 2 LEWMAR 55 ST EVO manual halyard winches
- Bathing platform, manual fold-out with swimming ladder
- Anchor and forestay fitting
- Self tacking jib system
- Mainsheet system
- 8 large and 4 small deck hatches - openable, anchor locker hatch, stowage on coach roof with acrylic glass hatch
- 6 deck coach roof windows - acrylic glass with portlights next to companionway, portlights in cockpit side for aft cabins

## RIG & SAILS

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Manual jib furler
- QUANTUM Dacron sails - full battened, main and jib

## NAVIGATION & INSTRUMENTS

- Illuminated compass at each helm
- Navigation lights - LED

## PROPULSION

- Fuel tank, approx. 280 l
- Engine (Diesel, approx. 80 hp) - saildrive, 2-blade fix propeller

## EQUIPMENT

- 12 V and 230 V electric system with 230 V shore power and sockets in cabins and heads
- AGM battery set, capacity: 1x 90 Ah + 2x 160 Ah AGM
- Country Version: EU / AUS
- Battery charger 70 A
- Manual toilet with sea water flush - cabin layout B1
- Manual toilet with sea water flush - cabin layout E2

- LPG gas system, stowage for 1 gas bottle
- Black water system (appr. 145 l) with deck extraction and seacock for head, electric and manual bilge pump
- Fresh water system with electric pump and 20 l hot water, heated also by main engine
- Fresh water tank, appr. 450 l

#### **ACCESSORIES**

- Mast steps

#### **SHIPPING & TRANSPORT**

- CE - Certificate cat. A - 12 / B - 14
- Owners manual
- EC - Type Examination Certificate